Appin. No. 10/722,953

7349946331

Attorney Docket No. 10541-1916

## II. Listing of Claims

- 1. (Currently Amended): A system for contacting a vehicle occupant during sudden deceleration of the vehicle, the system comprising:
  - a contact surface for interacting with the vehicle occupant;
- a fixed energy absorption device attached to a structural member of the vehicle:
- a deployable energy absorption device in contact with the contact surface and the fixed energy absorption device; and
- an energy absorption modifier in communication with the fixed energy absorption device for varying the energy absorption characteristics of the fixed energy absorption device, the energy absorption modifier being a pyrotechnic bolt that disconnects the fixed energy absorption device from the structural member of the vehicle.
- 2. (Currently Amended): The system of claim 1 wherein the contact surface includes a deformable foam layer.
- 3. (Original): The system of claim 1 wherein the fixed energy absorption device is a deformable metal bracket.
- 4. (Original): The system of claim 3 wherein the deformable metal bracket is a U-shaped bracket.



Appln. No. 10/722,953

Attorney Docket No. 10541-1916

- 5. (Original): The system of claim 1 wherein the deployable energy absorption device is an inflatable airbag.
- 6. (Original): The system of claim 1 wherein the energy absorption modifier is a pyrotechnic device.
  - 7. (Cancelled).
- 8. (Original): The system of claim 1 further comprising a frangible structural member connected at a first end to the contact surface and at a second end to the structural member of the vehicle.
- 9. (Currently Amended): A system for contacting a vehicle occupant during sudden deceleration of the vehicle, the system comprising:
  - a contact surface for interacting with a vehicle occupant;
- a fixed energy absorption device attached to a structural member of the vehicle;
- a frangible structural member connected at a first end to the contact surface and at a second end to the structural member of the vehicle:
- a deployable energy absorption device in contact with the contact surface and the fixed energy absorption device; and
- an energy absorption modifier in communication with the frangible structural member for varying the energy absorption characteristics of the frangible structural member, the energy absorption modifier being a pyrotechnic bolt that disconnects the fixed energy absorption device from the structural member of the vehicle.



Appln. No. 10/722,953

Attorney Docket No. 10541-1916

10. (Original): The system of claim 9 wherein contact surface includes a deformable foam layer.

BHGL

- 11. (Original): The system of claim 9 wherein the fixed energy absorption device is a deformable metal bracket.
- 12. (Original): The system of claim 11 wherein the deformable metal bracket is a U-shaped bracket.
- 13. (Original): The system of claim 9 wherein the deployable energy absorption device is an inflatable airbag.
- 14. (Original): The system of claim 9 wherein the energy absorption modifier is a pyrotechnic device.
  - 15. (Cancelled).

